

Year 11 to 12 Mathematics Summer Independent learning tasks

Please read the instructions for this task carefully. Ensure you complete all the tasks neatly on paper with dates and titles ready to be checked in September. You will be tested on this content during the second week of term.

Task 1 Preparation for A level Maths

- For each topic watch and work through the video.
- Complete the worksheet in this pack using the methods from the video.
- Mark and correct your work in green pen using the solutions.
- Improve your work where necessary (the more responsibility you take for this the better)
- Keep track of your work by filling in the table on the next page.
- Collate your initial work and improvements for each topic, this will make us happy when we are checking it in September.

Video hyperlinks

B1 Indices

<https://youtu.be/1lThXgU08S0>

<https://youtu.be/v5bn4HZrmQs>

<https://youtu.be/W0h4rHj88ys>

B2 Surds

<https://youtu.be/jHelde32YtI>

B3 Quadratics

<https://youtu.be/Pziws8ojnlk>

https://youtu.be/sn_joGVj15w

<https://youtu.be/kk7p6hjn7hQ>

https://youtu.be/tolqbX_NXHo

B4 Simultaneous Equations

<https://youtu.be/4SRtwS5unwE>

B5 Inequalities

https://youtu.be/wDut-In_7Wg

E1 Triangle Geometry

<https://youtu.be/uVI6TAb0vBg>

Topic	Video (date)	Worksheet (date)	Improvements completed
B1 Indices			
B2 Surds			
B3 Quadratics			
B4 Simultaneous Equations			
B5 Inequalities			
E1 Triangle geometry			

Task 2

- Do Practice Test 1 under exam conditions (if you cheat you are cheating yourself)
- Mark and correct your work, make a note of any improvements you need to do on the review table below.
- Revisit any videos and worksheets you need to.

Topic	Score /114	Improvement work to complete	Tick when completed
B1 Indices	/11		
B2 Surds	/10		
B3 Quadratics	/49		
B4 Simultaneous Equations	/11		
B5 Inequalities	/11		
E1 Triangle geometry	/11		

Task 3

- Do Practice Test 1 under exam conditions (if you cheat you are cheating yourself)
- Mark and correct your work, make a note of any improvements you need to do on the review table below.
- Revisit any videos and worksheets you need to.
- Make a list of any questions you need to ask your teacher in September ready for the real test.

Topic	Score /114	Improvement work to complete	Tick when completed
B1 Indices	/11		
B2 Surds	/10		
B3 Quadratics	/49		
B4 Simultaneous Equations	/11		
B5 Inequalities	/11		
E1 Triangle geometry	/11		

Topic: B1 Indices Exam Questions*(OCR/MEI C1 Questions)*

1.	Jan 05 Q5 Find the value of the following. (i) $\left(\frac{1}{3}\right)^{-2}$ [2] (ii) $16^{\frac{3}{4}}$ [2]
2.	June 05 Q6 Simplify the following. (i) a^0 [1] (ii) $a^6 \div a^{-2}$ [1] (iii) $(9a^6b^2)^{-\frac{1}{2}}$ [3]
3.	June 06 Q9 Simplify the following. (i) $\frac{16^{\frac{1}{2}}}{81^{\frac{3}{4}}}$ [2] (ii) $\frac{12(a^3b^2c)^4}{4a^2c^6}$ [3]
4.	Jan 07 Q6 Find the value of each of the following, giving each answer as an integer or fraction as appropriate. (i) $25^{\frac{3}{2}}$ [2] (ii) $\left(\frac{7}{3}\right)^{-2}$ [2]
5.	June 07 Q5 (i) Find a , given that $a^3 = 64x^{12}y^3$. [2] (ii) Find the value of $\left(\frac{1}{2}\right)^{-5}$. [2]

Indices Exam Questions Solutions

1. Jan 05 Q5

$$\begin{aligned} \text{(i)} \left(\frac{1}{3}\right)^{-2} &= \left(\frac{3}{1}\right)^2 \\ &= 9 \\ &= 8 \end{aligned}$$

$$\begin{aligned} \text{(ii)} 16^{\frac{3}{4}} &= (16^{\frac{1}{4}})^3 \\ &= 2^3 \\ &= 8 \end{aligned}$$

$$\begin{aligned} \text{(i)} a^0 &= 1 & \text{(ii)} a^6 \div a^{-2} &= a^8 \\ \text{(iii)} (9a^6b^2)^{-\frac{1}{2}} &= \frac{1}{3}a^{-3}b^{-1} \\ &\text{or } \frac{1}{3a^3b} \end{aligned}$$

3. June 06 Q9

$$\begin{aligned} \text{(i)} \frac{16^{\frac{1}{2}}}{81^{\frac{3}{4}}} &= \frac{4}{(81^{\frac{1}{4}})^3} \\ &= \frac{4}{3^3} \\ &= \frac{4}{27} \end{aligned}$$

$$\begin{aligned} \text{(ii)} \frac{12(a^3b^2c)^4}{4a^2c^6} &= \frac{12a^{12}b^8c^4}{4a^2c^6} \\ &= 3a^{10}b^8c^{-2} \\ &\text{or } \frac{3a^{10}b^8}{c^2} \end{aligned}$$

4. Jan 07 Q6

$$\begin{aligned} \text{(i)} 25^{\frac{3}{2}} &= (25^{\frac{1}{2}})^3 \\ &= 5^3 \\ &= 125 \\ \text{(ii)} \left(\frac{7}{3}\right)^{-2} &= \left(\frac{3}{7}\right)^2 \\ &= \frac{9}{49} \end{aligned}$$

5. June 07 Q5

$$\begin{aligned} \text{(i)} a^3 &= 64x^{12}y^3 \\ a &= (64x^{12}y^3)^{\frac{1}{3}} \\ a &= 4x^4y \end{aligned}$$

$$\begin{aligned} \text{(ii)} \left(\frac{1}{2}\right)^{-5} &= \left(\frac{2}{1}\right)^5 \\ &= 32 \end{aligned}$$

Exam Questions (AOA Questions)

1. Jan 05 Q5	(a) Simplify $(\sqrt{12} + 2)(\sqrt{12} - 2)$. (b) Express $\sqrt{12}$ in the form $m\sqrt{3}$, where m is an integer. (c) Express $\frac{\sqrt{12} + 2}{\sqrt{12} - 2}$ in the form $a + b\sqrt{3}$, where a and b are integers.	(2 marks) (1 mark) (4 marks)
2. June 05 Q5 Express each of the following in the form $m + n\sqrt{3}$, where m and n are integers:	(a) $(\sqrt{3} + 1)^2$; (b) $\frac{\sqrt{3} + 1}{\sqrt{3} - 1}$.	(2 marks) (3 marks)
3. Jan 06 Q1	(a) Simplify $(\sqrt{5} + 2)(\sqrt{5} - 2)$. (b) Express $\sqrt{8} + \sqrt{18}$ in the form $n\sqrt{2}$, where n is an integer.	(2 marks) (2 marks)
4. June 06 Q4	(a) Express $(4\sqrt{5} - 1)(\sqrt{5} + 3)$ in the form $p + q\sqrt{5}$, where p and q are integers. (b) Show that $\frac{\sqrt{75} - \sqrt{27}}{\sqrt{3}}$ is an integer and find its value.	(3 marks) (3 marks)
5. Jan 07 Q3	(a) Express $\frac{\sqrt{5} + 3}{\sqrt{5} - 2}$ in the form $p\sqrt{5} + q$, where p and q are integers. (b) (i) Express $\sqrt{45}$ in the form $n\sqrt{5}$, where n is an integer. (ii) Solve the equation $x\sqrt{20} = 7\sqrt{5} - \sqrt{45}$ giving your answer in its simplest form.	(4 marks) (1 mark) (3 marks)
6. June 07 Q7	(a) Express $\frac{\sqrt{63}}{3} + \frac{14}{\sqrt{7}}$ in the form $n\sqrt{7}$, where n is an integer. (b) Express $\frac{\sqrt{7} + 1}{\sqrt{7} - 2}$ in the form $p\sqrt{7} + q$, where p and q are integers.	(3 marks) (4 marks)

Exam Questions Solutions - Surds

1. Jan 05 Q5

$$\begin{aligned}
 (a) & (\sqrt{12} + 2)(\sqrt{12} - 2) \quad (M1) \\
 & = 12 - 2\sqrt{12} + 2\sqrt{12} - 4 \\
 & = 8 \quad (A1)
 \end{aligned}
 \quad
 \begin{aligned}
 (b) & \sqrt{12} = \sqrt{4 \cdot 3} \\
 & = 2\sqrt{3} \\
 & \quad (B1)
 \end{aligned}
 \quad
 \begin{aligned}
 (c) & \frac{(\sqrt{12} + 2)(\sqrt{12} + 2)}{(\sqrt{12} - 2)(\sqrt{12} + 2)} \quad (M1) \\
 & = \frac{12 + 2\sqrt{12} + 2\sqrt{12} + 4}{8} \quad (A1) \\
 & = \frac{16 + 4\sqrt{12}}{8} \\
 & = \frac{16 + 8\sqrt{3}}{8} \quad (A1) \\
 & = 2 + \sqrt{3} \quad (A1)
 \end{aligned}$$

2. June 05 Q5

$$\begin{aligned}
 (a) & (\sqrt{3} + 1)^2 \\
 & = (\sqrt{3} + 1)(\sqrt{3} + 1) \quad (M1) \\
 & = 3 + \sqrt{3} + \cancel{\sqrt{3}} + 1 \quad \checkmark \\
 & = 4 + 2\sqrt{3} \quad (A1)
 \end{aligned}
 \quad
 \begin{aligned}
 (b) & \frac{(\sqrt{3} + 1)(\sqrt{3} + 1)}{(\sqrt{3} - 1)(\sqrt{3} + 1)} \quad (M1) \\
 & = \frac{4 + 2\sqrt{3}}{3 + \cancel{\sqrt{3}} - \sqrt{3} - 1} \quad (A1) \\
 & = \frac{4 + 2\sqrt{3}}{2} \\
 & = 2 + \sqrt{3} \quad (A1)
 \end{aligned}$$

3. Jan 06 Q1

$$\begin{aligned}
 (a) & (\sqrt{5} + 2)(\sqrt{5} - 2) \\
 & = 5 - 2\sqrt{5} + 2\sqrt{5} - 4 \quad (M1) \\
 & = 1 \quad (A1)
 \end{aligned}
 \quad
 \begin{aligned}
 (b) & \sqrt{8} + \sqrt{18} \\
 & = \sqrt{4 \cdot 2} + \sqrt{9 \cdot 2} \quad (M1) \\
 & = 2\sqrt{2} + 3\sqrt{2} \\
 & = 5\sqrt{2} \quad (A1)
 \end{aligned}$$

4. June 06 Q4

$$\begin{aligned}
 (a) & (4\sqrt{5} - 1)(\sqrt{5} + 3) \\
 & = 20 + 12\sqrt{5} - \sqrt{5} - 3 \quad (M1)(A1) \\
 & = 17 + 11\sqrt{5} \quad (A1)
 \end{aligned}
 \quad
 \begin{aligned}
 (b) & \frac{\sqrt{75} - \sqrt{27}}{\sqrt{3}} \\
 & = \frac{5\sqrt{3} - 3\sqrt{3}}{\sqrt{3}} \quad (M1) \\
 & = \frac{2\sqrt{3}}{\sqrt{3}} \quad (M1) \\
 & = 2 \quad (A1)
 \end{aligned}$$

5. Jan 07 Q3

$$(a) \frac{(\sqrt{5}+3)(\sqrt{5}+2)}{(\sqrt{5}-2)(\sqrt{5}+2)} \quad (M1)$$

$$= \frac{5+2\sqrt{5}+3\sqrt{5}+6}{5-4} \quad (A1) \\ = 11 + 5\sqrt{5} \quad (A1)$$

$$(b)(i) \sqrt{45} = \sqrt{9}\sqrt{5} \quad (B1) \\ = 3\sqrt{5}$$

$$(ii) x\sqrt{20} = 7\sqrt{5} - \sqrt{45} \\ 2x\sqrt{5} = 7\sqrt{5} - 3\sqrt{5} \quad (M1) \\ 2x = 4 \quad (M1) \\ x = 2 \quad (A1)$$

6. June 07 Q7

$$(a) \frac{\sqrt{63}}{3} + \frac{14}{\sqrt{7}} \quad (M1)$$

$$= \frac{3\sqrt{7}}{3} + \frac{14}{\sqrt{7}} \cdot \frac{\sqrt{7}}{\sqrt{7}} \quad (M1)$$

$$= \frac{3\sqrt{7}}{3} + \frac{14\sqrt{7}}{7}$$

$$= \sqrt{7} + 2\sqrt{7}$$

$$= 3\sqrt{7} \quad (A1)$$

$$(b) \frac{(\sqrt{7}+1)(\sqrt{7}+2)}{(\sqrt{7}-2)(\sqrt{7}+2)} \quad (M1)$$

$$= \frac{7+2\sqrt{7}+\sqrt{7}+2}{7-4} \quad (A1) \\ = \frac{9+3\sqrt{7}}{3} \quad (A1)$$

Topic: B3 Quadratics

**Exam Questions (AQA C1
Questions)**

1.	Jan 2011 Q7	
	<p>(a) (i) Express $4 - 10x - x^2$ in the form $p - (x + q)^2$. (2 marks)</p> <p>(ii) Hence write down the equation of the line of symmetry of the curve with equation $y = 4 - 10x - x^2$. (1 mark)</p>	
2.	<p>(a) Express $x^2 + 5x + 7$ in the form $(x + p)^2 + q$, where p and q are rational numbers. June 11 Q4</p> <p>(b) A curve has equation $y = x^2 + 5x + 7$.</p> <p>(i) Find the coordinates of the vertex of the curve. (2 marks)</p> <p>(ii) State the equation of the line of symmetry of the curve. (1 mark)</p> <p>(iii) Sketch the curve, stating the value of the intercept on the y-axis. (3 marks)</p> <p>(c) Describe the geometrical transformation that maps the graph of $y = x^2$ onto the graph of $y = x^2 + 5x + 7$. (3 marks)</p>	
3.	<p>(a) Factorise $x^2 - 4x - 12$. (1 mark)</p> <p>(b) Sketch the graph with equation $y = x^2 - 4x - 12$, stating the values where the curve crosses the coordinate axes. (4 marks)</p> <p>(c) (i) Express $x^2 - 4x - 12$ in the form $(x - p)^2 - q$, where p and q are positive integers. (2 marks)</p> <p>(ii) Hence find the minimum value of $x^2 - 4x - 12$. (1 mark)</p> <p>(d) The curve with equation $y = x^2 - 4x - 12$ is translated by the vector $\begin{bmatrix} -3 \\ 2 \end{bmatrix}$. Find an equation of the new curve. You need not simplify your answer. (2 marks)</p>	Jan 12 Q2
4.	<p>June 12 Q5</p> <p>(a) (i) Express $x^2 - 3x + 5$ in the form $(x - p)^2 + q$. (2 marks)</p> <p>(ii) Hence write down the equation of the line of symmetry of the curve with equation $y = x^2 - 3x + 5$. (1 mark)</p>	

5. Jan 13 Q4

- (a) (i) Express $x^2 - 6x + 11$ in the form $(x - p)^2 + q$. *(2 marks)*
- (ii) Use the result from part (a)(i) to show that the equation $x^2 - 6x + 11 = 0$ has no real solutions. *(2 marks)*
- (b) A curve has equation $y = x^2 - 6x + 11$.
- (i) Find the coordinates of the vertex of the curve. *(2 marks)*
- (ii) Sketch the curve, indicating the value of y where the curve crosses the y -axis. *(3 marks)*
- (iii) Describe the geometrical transformation that maps the curve with equation $y = x^2 - 6x + 11$ onto the curve with equation $y = x^2$. *(3 marks)*

6.

- (a) (i) Express $2x^2 + 6x + 5$ in the form $2(x + p)^2 + q$, where p and q are rational numbers. *(2 marks)*
- (ii) Hence write down the minimum value of $2x^2 + 6x + 5$. *(1 mark)*

June 13 Q5


Quadratics Exam Questions Solutions

1. Jan 2011 Q7

$$\begin{aligned}
 (a)(i) \quad & 4 - 10x - x^2 & (ii) \text{ line of symmetry } x = -5 & (\text{B1FT}) \\
 & \equiv -(x^2 + 10x - 4) \\
 & \equiv -(x+5)^2 - 25 + 29 & (\text{M1}) \\
 & \equiv -(x+5)^2 + 29 & (\text{A1}) \\
 & \equiv 29 - (x+5)^2 & (\text{A1})
 \end{aligned}$$

2. June 11 Q4


$$\begin{aligned}
 (a) \quad & x^2 + 5x + 7 \equiv & (b) (i) \text{ when } x = -\frac{5}{2} \quad y = \frac{3}{4} & (\text{M1}) \\
 & \equiv (x+\frac{5}{2})^2 - \frac{25}{4} + \frac{28}{4} & \therefore \text{ vertex at } (-\frac{5}{2}, \frac{3}{4}) & (\text{A1}) \\
 & \equiv (x+\frac{5}{2})^2 + \frac{3}{4} & (\text{A1}) & \\
 & & (ii) \text{ line of symmetry } x = -\frac{5}{2} & (\text{B1FT})
 \end{aligned}$$



(c) Translation $\begin{pmatrix} -5/2 \\ 3/4 \end{pmatrix}$ (M1)(A1)

3. Jan 12 Q2

$$\begin{aligned}
 (a) \quad & x^2 - 4x - 12 & (\text{B1}) \\
 & \equiv (x-6)(x+2) & (\text{B1})
 \end{aligned}$$



$$\begin{aligned}
 (c)(i) \quad & x^2 - 4x - 12 \\
 & \equiv (x-2)^2 - 4 - 12 & (\text{M1}) \\
 & \equiv (x-2)^2 - 16 & (\text{A1})
 \end{aligned}$$

(ii) min value is -16 (B1FT)

$$\begin{aligned}
 (d) \quad & y = (x+3)^2 - 4(x+3) - 12 + 2 & (\text{M1}) \\
 & y = (x+3)^2 - 4(x+3) - 10 \\
 & \text{or any equivalent form (A1)}
 \end{aligned}$$

$$\text{i.e. } y = (x+1)^2 - 14$$

4. June 12 Q5

(a)(i) $x^2 - 3x + 5$

(ii) Line of symmetry is $x = 3/2$ (B1FT)

$$\equiv (x - 3/2)^2 - \frac{9}{4} + \frac{20}{4}$$

$$\equiv (x - 3/2)^2 + \frac{11}{4} \quad (A1)$$

5. Jan 13 Q4

(a)(i) $5x^2 - 6x + 11$

(b)(i) $(3, 2)$

$$\equiv (x - 3)^2 - 9 + 11$$


$$\equiv (x - 3)^2 + 2 \quad (A1)$$

(ii) $(x - 3)^2 + 2 = 0$

$$(x - 3)^2 = -2 \quad (m1)$$

can't take square root of
negative number and get
real solutions \therefore no real
solutions (A1)

(b)(ii) $(3, 2)$



(iii) Translation $(-3, -2)$ (m1)

Gone backwards !

6. June 13 Q5

(a)(i) $2x^2 + 6x + 5$

or $2x^2 + 6x + 5$

$$\equiv 2[x^2 + 3x] + 5$$

$$\equiv 2[x^2 + 3x + \frac{9}{2}]$$

$$\equiv 2[(x + 3/2)^2 - 9/4] + 5$$

$$\equiv 2[(x + 3/2)^2 - 9/4 + 10/4]$$

$$\equiv 2(x + 3/2)^2 - \frac{9}{2} + \frac{10}{2}$$

$$\equiv 2(x + 3/2)^2 + \frac{1}{2}$$

$$\equiv 2(x + 3/2)^2 + \frac{1}{2} \quad (A1)$$

$$\equiv 2(x + 3/2)^2 + \frac{1}{2}$$

(ii) Min value is $y = \frac{1}{2}$ (B1FT)

Topic B4 Simultaneous equations**Exam Questions (AQA C1****Questions)**

- 1** Solve the simultaneous equations

$$y - 3x + 2 = 0$$

$$y^2 - x - 6x^2 = 0$$

(Total 7 marks)

- 2** The curve C has equation $y = x^2 - 4$ and the straight line l has equation $y + 3x = 0$.

- (a) In the space below, sketch C and l on the same axes.

(3)

- (b) Write down the coordinates of the points at which C meets the coordinate axes.

(2)

- (c) Using algebra, find the coordinates of the points at which l intersects C .

(4)**(Total 9 marks)****3 Jan 011 Q7**

- (b) The curve C has equation $y = 4 - 10x - x^2$ and the line L has equation $y = k(4x - 13)$, where k is a constant.

- (i) Show that the x -coordinates of any points of intersection of the curve C with the line L satisfy the equation

$$x^2 + 2(2k + 5)x - (13k + 4) = 0 \quad (1 \text{ mark})$$

4.

- A curve has equation $y = 2x^2 - x - 1$ and a line has equation $y = k(2x - 3)$, where k is a constant.

Jan 13 Q8

- (a) Show that the x -coordinate of any point of intersection of the curve and the line satisfies the equation

$$2x^2 - (2k + 1)x + 3k - 1 = 0 \quad (1 \text{ mark})$$

Simultaneous Equations Exam Questions

1) $y = 3x - 2$

$$(3x - 2)^2 - x - 6x^2 = 0$$


$$9x^2 - 12x + 4 - x - 6x^2 = 0$$

$$3x^2 - 13x + 4 = 0$$

$$(3x - 1)(x - 4) = 0$$

$$\begin{array}{l} x = 1 \\ y = -1 \end{array} \quad \text{or} \quad \begin{array}{l} x = 4 \\ y = 10 \end{array}$$

2)



b) $(2, 0), (-2, 0)$

c) $y = -3x$ $-3x = x^2 - 4$

$$x^2 + 3x - 4 = 0$$

$$(x - 1)(x + 4) = 0$$

$$\begin{array}{l} x = 1 \\ y = -3 \end{array} \quad \text{or} \quad \begin{array}{l} x = -4 \\ y = 12 \end{array}$$

intersections are $(1, -3), (-4, 12)$

Jan 11 Q7

$$y = 4 - 10x - x^2 \quad y = k(4x - 13)$$

$$k(4x - 13) = 4 - 10x - x^2$$

$$x^2 + 10x + 4kx - 13k - 4 = 0$$

$$x^2 + 2(5+k)x - (13k+4) = 0$$

Jan 13 Q8

$$y = 2x^2 - x - 1 \quad y = k(2x - 3)$$

$$2x^2 - x - 1 = k(2x - 3)$$

$$2x^2 - x - 1 = 2kx - 3k$$

$$2x^2 - 2kx - x + 3k - 1 = 0$$

$$2x^2 - (2k+1)x + 3k - 1 = 0$$

Topic: B5 Inequalities**Exam Questions (AQA C1
Questions)**

1.	Jan 11 Q7 (iii) Solve the inequality $4k^2 + 33k + 29 > 0$.	(4 marks)
2.	June 11 Q7 Solve each of the following inequalities: (a) $2(4 - 3x) > 5 - 4(x + 2)$; (b) $2x^2 + 5x \geq 12$.	(2 marks) (4 marks)
3.	Jan 12 Q6 A rectangular garden is to have width x metres and length $(x + 4)$ metres. (a) The perimeter of the garden needs to be greater than 30 metres. Show that $2x > 11$. (b) The area of the garden needs to be less than 96 square metres. Show that $x^2 + 4x - 96 < 0$. (c) Solve the inequality $x^2 + 4x - 96 < 0$. (d) Hence determine the possible values of the width of the garden.	(1 mark) (1 mark) (4 marks) (1 mark)
4.	June 12 Q7a (ii) Solve the inequality $3x^2 - 10x + 8 < 0$.	(4 marks)

Inequalities Exam Questions Solutions

1. Jan 11 Q7 (ii)

$$4R^2 + 33R + 29 > 0$$

$$(4R+29)(R+1) > 0 \quad (\text{m1})$$

CVS at $R = -\frac{29}{4}$ $R = -1 \quad (\text{A1})$




$$R < -\frac{29}{4} \text{ or } R > -1 \quad (\text{A1}) \quad \frac{1}{4}$$

2. June 11 Q7

$$\begin{aligned} (a) \quad 2(4-3x) &> 5-4(x+2) \\ 8-6x &> 5-4x-8 \quad (\text{m1}) \\ -2x &> -11 \\ 2x &< 11 \quad (\text{x-1 reverse inequality sign}) \\ x &< \frac{11}{2} \quad (\text{A1}) \end{aligned}$$


$$\begin{aligned} (b) \quad 2x^2 + 5x &\geq 12 \\ 2x^2 + 5x - 12 &\geq 0 \\ (2x-3)(x+4) &\geq 0 \quad (\text{m1}) \end{aligned}$$

CVS at $x = \frac{3}{2}$ $x = -4 \quad (\text{A1})$



$$x \leq -4 \text{ or } x \geq \frac{3}{2} \quad (\text{A1})$$

3 Jan 12 Q6



$$(a) \quad x + x + x + 4 + x + 4 > 30$$

$$4x + 8 > 30$$

$$4x > 22$$

$$2x > 11 \quad (6)$$

$$(x > \frac{11}{2})$$


$$(b) \quad x(x+4) < 96$$

$$x^2 + 4x < 96$$

$$x^2 + 4x - 96 < 0 \quad (6)$$

$$(x+12)(x-8) < 0 \quad (m)$$

$$\text{cvs } x = -12 \quad x = 8 \quad (A)$$



7

$$-12 < x < 8 \quad (A)$$


$$(c) \quad \frac{11}{2} < x < 8 \quad (6)$$

4 June 12 Q7(a)

$$3x^2 - 10x + 8 < 0$$

$$(3x-4)(x-2) < 0 \quad (m)$$

$$\text{cvs } x = \frac{4}{3} \quad x = 2 \quad (A)$$



4


$$\frac{4}{3} < x < 2 \quad (A)$$

Topic E1 Triangle Geometry

Exam Questions (AQA C2 Questions)

1. June 2006 Q2

The diagram shows a triangle ABC .




The lengths of AC and BC are 4.8 cm and 12 cm respectively.

The size of the angle BAC is 100° .

- (a) Show that angle $ABC = 23.2^\circ$, correct to the nearest 0.1° . *(3 marks)*
- (b) Calculate the area of triangle ABC , giving your answer in cm^2 to three significant figures. *(3 marks)*

2. Jan 2007 Q4 (adapted)

The triangle ABC , shown in the diagram, is such that $BC = 6 \text{ cm}$, $AC = 5 \text{ cm}$ and $AB = 4 \text{ cm}$. The angle BAC is θ .



- (a) Use the cosine rule to show that $\cos \theta = \frac{1}{8}$.


(3 marks)

- (c) Hence find the area of the triangle ABC .

(2 marks)

3. June 2008 Q4

The diagram shows a triangle ABC .




The size of angle BAC is 65° , and the lengths of AB and AC are 7.6 m and 8.3 m respectively.

- (a) Show that the length of BC is 8.56 m , correct to three significant figures. (3 marks)
- (b) Calculate the area of triangle ABC , giving your answer in m^2 to three significant figures. (2 marks)
- (c) The perpendicular from A to BC meets BC at the point D .

Calculate the length of AD , giving your answer to the nearest 0.1 m . (3 marks)

4. Jan 2011 Q3


The triangle ABC , shown in the diagram, is such that $AB = 5 \text{ cm}$, $AC = 8 \text{ cm}$, $BC = 10 \text{ cm}$ and angle $BAC = \theta$.



- (a) Show that $\theta = 97.9^\circ$, correct to the nearest 0.1° . *(3 marks)*
- (b) (i) Calculate the area of triangle ABC , giving your answer, in cm^2 , to three significant figures. *(2 marks)*
- (ii) The line through A , perpendicular to BC , meets BC at the point D . Calculate the length of AD , giving your answer, in cm, to three significant figures. *(3 marks)*

5.

The diagram shows a triangle ABC .



The lengths of AC and BC are 5 cm and 6 cm respectively.


The area of triangle ABC is 12.5 cm^2 , and angle ACB is **obtuse**.

- (a) Find the size of angle ACB , giving your answer to the nearest 0.1° . *(3 marks)*
- (b) Find the length of AB , giving your answer to two significant figures. *(3 marks)*

Jan 2013 Q3

Triangle Geometry Exam Questions

1. June 2006 Q2



$$(a) \frac{\sin \hat{A}BC}{4.8} = \frac{\sin 100}{12} \quad (M_1)$$

$$\sin \hat{A}BC = 0.4 \sin 100 \quad (M_1)$$

$$\hat{A}BC = \sin^{-1}(0.4 \sin 100)$$

$$\hat{A}BC = 23.19882755$$


$$\hat{A}BC = 23.2 \text{ correct to } (A_1) \\ \text{nearest } 0.1^\circ$$

$$(b) \text{ angle } \hat{A}CB = 180 - 100 - 23.2 \\ = 56.8^\circ \quad (M_1)$$

$$\text{area of } \triangle = \frac{1}{2} \times 4.8 \times 12 \times \sin 56.8 \quad (M_1) \\ = 24.1 \text{ cm}^2 \text{ to 3.s.f.} \quad (A_1)$$

6

2. Jan 2007 Q4



(a) Using cosine rule (M1)

$$6^2 = 4^2 + 5^2 - 2(4)(5)\cos\theta$$

$$36 = 41 - 40\cos\theta$$

$$40\cos\theta = 5 \quad (\text{M1})$$

$$\cos\theta = \frac{5}{40}$$

$$\cos\theta = \frac{1}{8} \quad (\text{A1})$$

$$\theta = \cos^{-1}\left(\frac{1}{8}\right)$$


$$\theta = 82.8^\circ \quad (\text{M1})$$

$$A = \frac{1}{2} \times 4 \times 5 \times \sin 82.8^\circ$$

$$\text{Area} = 9.92 \text{ cm}^2 \text{ to 3.s.f. (A1)}$$

1
5

3. June 2008 Q4



(a) Using cosine rule

$$BC^2 = 7.6^2 + 8.3^2 - 2(7.6)(8.3)\cos 65^\circ \quad (\text{M1})$$

$$BC^2 = 73.33248\dots \quad (\text{M1})$$

$$BC = 8.5634\dots$$

$$BC = 8.56 \text{ m to 3.s.f. (A1)}$$

$$(b) A = \frac{1}{2} \times 7.6 \times 8.3 \sin 65^\circ \quad (\text{M1})$$


$$= 28.6 \text{ m}^2 \text{ to 3.s.f. (A1)}$$

$$(c) 28.6 = \frac{1}{2} \times 8.56 \times AD \quad (\text{M1})(\text{M1})$$

$$AD = 6.7 \text{ m to nearest 0.1m (A1)}$$

1
8

4. Jan 2011 Q3



(a) Using cosine rule

$$10^2 = 5^2 + 8^2 - 2(5)(8) \cos \theta \quad (\text{M1})$$

$$100 = 89 - 80 \cos \theta \quad (\text{M1})$$

$$80 \cos \theta = -11$$

$$\cos \theta = -\frac{11}{80}$$

$$\theta = 97.9032\dots$$

$$\theta = 97.9^\circ \text{ to nearest } 0.1^\circ \quad (\text{A1})$$

$$(b) (i) \text{ Area} = \frac{1}{2} \times 5 \times 8 \times \sin 97.9^\circ \quad (\text{M1})$$


$$= 19.8 \text{ cm}^2 \text{ to 3.s.f.} \quad (\text{A1})$$

$$(ii) 19.8 = \frac{1}{2} \times 10 \times AD \quad (\text{M1})(\text{M1})$$

$$AD = 3.96 \text{ cm to 3.s.f.} \quad (\text{A1})$$

18

5. Jan 2013 Q3



$$(a) 12.5 = \frac{1}{2} \times 5 \times 6 \times \sin C \quad (\text{M1})$$

$$\frac{12.5}{15} = \sin C \quad (\text{A1})$$

$$C = 56.4^\circ$$

but $\hat{A}CB$ is obtuse

$$\therefore \hat{A}CB = 180 - 56.4^\circ$$

$$= 123.6^\circ \quad (\text{A1})$$

(b) Using cosine rule

$$AB^2 = 5^2 + 6^2 - 2(5)(6) \cos 123.6^\circ \quad (\text{M1})(\text{M1})$$

$$AB^2 = 94.203\dots$$

$$AB = 9.7 \text{ cm to 2.s.f.} \quad (\text{A1})$$

16

TASK 2

Year 12 Initial Test for Mathematics

Write out the solutions to each of the following questions. Show full working, **without** the use of a calculator.

Practice 1 (No Calculator)

B1 Indices

1. Evaluate $\left(\frac{8}{125}\right)^{-2/3}$	2. Express in the form x^k $\frac{\sqrt{x} \times \sqrt[3]{x}}{x^2}$	3. Solve $9^{x-2} = 27$	4. Solve $16^x = 4^{1-x}$
---	---	-------------------------	---------------------------

B2 Surds

1. Simplify $\sqrt{72}$	2. Expand and simplify $(2\sqrt{7} - 5\sqrt{3})(3\sqrt{7} + 4\sqrt{3})$	3. Rationalise the denominator $\frac{11}{2\sqrt{5}}$	4. Rationalise the denominator $\frac{8 - 3\sqrt{5}}{2 + \sqrt{5}}$
-------------------------	---	--	--

B3 Quadratics


1. Solve the following quadratic equations by factorising and use your solutions to sketch the related quadratic graph, labelling all intersections with the coordinate axis.

(a) (i) $x^2 + 3x - 28 = 0$	(b) (i) $x^2 - 6x + 9 = 0$	(c) (i) $2x^2 - 21x + 27 = 0$
(a) (ii) Sketch $y = x^2 + 3x - 28$	(b) (ii) Sketch $y = x^2 - 6x + 9$	(c) (ii) Sketch $y = 2x^2 - 21x + 27$


2. Solve the following quadratic equations by completing the square and use your solutions to sketch the related quadratic graph, labelling all intersections with the coordinate axis and turning point.

(a) (i) $x^2 + 4x - 7 = 0$	(b) (i) $11 + 8x - x^2 = 0$	(c) (i) $3x^2 - 12x + 2 = 0$
(ii) Write $y = x^2 + 4x - 7$ in the form $y = a(x + b)^2 + c$	(ii) Write $y = 11 + 8x - x^2$ in the form $y = a(x + b)^2 + c$	(ii) Write $y = 3x^2 - 12x + 2$ in the form $y = a(x + b)^2 + c$
(iii) Sketch $y = x^2 + 4x - 7$	(iii) Sketch $y = 11 + 8x - x^2$	(iii) Sketch $y = 3x^2 - 12x + 2$


3. Evaluate the equation of the following quadratics, giving your answer in the form $y = ax^2 + bx + c$



(a)



(b)



(c)

B4 Simultaneous Equations

1. Solve $3x + 3y = -4$ $5x - 2y = 5$

2. Solve

$$\frac{1}{2}x - y = 4 \quad y = \frac{x - 6}{2}$$

3. Solve

$$3x^2 - x - y^2 = 0 \quad x + y = 1$$

B5 Inequalities

Find the set of values for which...


1. $3(1 - 2t) \leq t - 4$

2. $2x^2 - 9x + 4 \leq 0$


3. $2y + 3 < 3y(y - 2)$

E1 Triangle Geometry (Calculator)


1. Calculate the length AB




2. Calculate the angle θ



3. Calculate the length AB and the obtuse angle ϑ



4. Calculate the area of the triangle ABC



Practice 1

81 Indices

$$1. \left(\frac{8}{125}\right)^{-\frac{2}{3}}$$

$$= \left(\frac{125}{8}\right)^{\frac{2}{3}}$$

$$= \left(\frac{5}{2}\right)^2 \quad \text{M1}$$

$$= \frac{25}{4} \quad \text{A1}$$

$$2. \frac{\sqrt{x} \times \sqrt[3]{x}}{x^2}$$

$$= \frac{x^{\frac{1}{2}} \times x^{\frac{1}{3}}}{x^2} \quad \text{M1}$$

$$= \frac{x^{\frac{5}{6}}}{x^2} \quad \text{A1}$$

$$= x^{-\frac{7}{6}} \quad \text{A1}$$

$$3. 9^{x-2} = 27$$

$$(3^2)^{x-2} = 3^3 \quad \text{M1}$$

$$3^{2x-4} = 3^3$$

$$2x-4 = 3 \quad \text{M1}$$

$$2x = 7$$

$$x = \frac{7}{2} \quad \text{A1}$$

$$4. 16^x = 4^{1-x}$$

$$(4^2)^x = 4^{1-x} \quad \text{M1}$$

$$4^{2x} = 4^{1-x} \quad \text{M1}$$

$$2x = 1-x \quad \text{M1}$$

$$3x = 1 \Rightarrow x = \frac{1}{3} \quad \text{A1}$$

82 Surds

$$1. \sqrt{72}$$

$$= \sqrt{36 \times 2}$$

$$= 6\sqrt{2} \quad \text{A1}$$

$$2. (2\sqrt{7} - 5\sqrt{3})(3\sqrt{7} + 4\sqrt{3})$$

$$= 42 + 8\sqrt{21} - 15\sqrt{21} - 60 \quad \text{M1 A1}$$

$$= -7\sqrt{21} - 18 \quad \text{A1}$$

$$3. \frac{11}{2\sqrt{5}} \times \frac{\sqrt{5}}{\sqrt{5}} \quad \text{M1}$$

$$= \frac{11\sqrt{5}}{10} \quad \text{A1}$$

$$4. \frac{8 - 3\sqrt{5}}{2 + \sqrt{5}} \times \frac{(2 - \sqrt{5})}{(2 - \sqrt{5})} \quad \text{M1}$$

$$= \frac{16 - 8\sqrt{5} - 6\sqrt{5} + 15}{4 - 5} \quad \text{A1}$$


$$= \frac{31 - 14\sqrt{5}}{-1} = 14\sqrt{5} - 31 \quad \text{A1}$$

10

B3 Quadratics


1. (a) (i) $x^2 + 3x - 28 = 0$
 $(x+7)(x-4) = 0$ M1
 $x = -7 \text{ or } x = 4$ A1

$$y = x^2 + 3x - 28$$




(b) (i) $x^2 - 6x + 9 = 0$
 $(x-3)^2 = 0$ M1
A1 $x = 3$ (repeated)

$$y = x^2 - 6x + 9$$



(c) (i) $2x^2 - 21x + 27 = 0$
 $(2x-3)(x-9) = 0$ M1
 $x = \frac{3}{2}$ $x = 9$ A1

$$y = 2x^2 - 21x + 27$$



B1 shape, location related to axes

A1 intersections x-axis

A1 intersections y-axis

15

$$2. (a) (i) x^2 + 4x - 7 = 0$$

$$(x+2)^2 - 4 - 7 = 0 \text{ MI}$$


$$(x+2)^2 = 11$$

$$x+2 = \pm \sqrt{11}$$

$$x = -2 \pm \sqrt{11} \text{ AI}$$

$$(ii) y = x^2 + 4x - 7$$

$$y = (x+2)^2 - 11 \text{ BI}$$



Graphs

B1 Shape

A1 Vertex

A1 Intersections x-axis

A1 Intersections y-axis

$$(b) (i) 11 + 8x - x^2 = 0$$

$$-(x^2 - 8x - 11) = 0 \text{ MI}$$

$$-(x-4)^2 + 16 - 11 = 0 \text{ MI}$$

$$-(x-4)^2 + 27 = 0$$


$$(x-4)^2 = 27$$

$$x-4 = \pm 3\sqrt{3}$$

$$x = 4 \pm 3\sqrt{3} \text{ AI}$$

$$(ii) y = 11 + 8x - x^2$$

$$y = 27 - (x-4)^2 \text{ BI}$$



$$(c) (i) 3x^2 - 12x + 2 = 0$$

$$3[x^2 - 4x + \frac{2}{3}] = 0 \text{ MI}$$

$$3[(x-2)^2 - 4 + \frac{2}{3}] = 0 \text{ MI}$$

$$3[(x-2)^2 - \frac{10}{3}] = 0$$


$$3(x-2)^2 - 10 = 0$$

$$(x-2)^2 = \frac{10}{3}$$

$$x-2 = \pm \sqrt{\frac{10}{3}}$$

$$(ii) y = 3x^2 - 12x + 2$$


$$y = 3(x-2)^2 - 10 \text{ BI}$$



$$x = 2 \pm \sqrt{\frac{10}{3}} \text{ AI}$$

23

3. (a)




$$y = k(x+3)(x-1) \quad \text{M1}$$

$$-5 = k(3)(-1) \Rightarrow k = 1 \quad \text{A1}$$

$$y = (x+3)(x-1)$$

$$y = x^2 - 2x - 3 \quad \text{A1}$$

(b)



$$y = k(x-3)^2 \quad \text{M1}$$


$$18 = k(-3)^2 \Rightarrow k = 2 \quad \text{A1}$$

$$y = 2(x-3)^2$$

$$y = 2(x^2 - 6x + 9)$$

$$y = 2x^2 - 12x + 18 \quad \text{A1}$$

(c)



$$y = k(x+1)^2 - 4 \quad \text{M1}$$

$$-1 = k(1)^2 - 4 \quad (0, -1)$$

$$\Rightarrow k = 3 \quad \text{A1}$$

$$y = 3(x+1)^2 - 4$$

$$y = 3(x^2 + 2x + 1) - 4$$

$$y = 3x^2 + 6x - 1 \quad \text{A1}$$

9

84 Simultaneous Equations

$$\begin{array}{l} \text{1. } \begin{array}{l} 3x + 3y = -4 \\ 5x - 2y = 5 \end{array} \quad \begin{array}{l} 6x + 6y = -8 \\ 15x - 6y = 15 \end{array} \quad \text{add} \quad \text{M1} \\ \hline 21x = 7 \\ x = \frac{1}{3} \quad \text{AI} \quad 3\left(\frac{1}{3}\right) + 3y = -4 \\ 3y = -5 \\ x = \frac{1}{3}, y = -\frac{5}{3} \quad \text{AI} \end{array}$$

$$\begin{array}{l} \text{2. } y = x - 6 \\ \frac{1}{2}x - y = 4 \\ \frac{1}{2}x - (x - 6) = 4 \quad \text{M1} \\ \frac{1}{2}x - x + 6 = 4 \\ -\frac{1}{2}x = -2 \\ x = 4 \quad \text{A1} \quad y = 4 - 6 \\ y = -2 \\ x = 4, y = -2 \quad \text{AI} \end{array}$$

$$3x^2 - x - y^2 = 0 \quad x + y = 1$$

$$3x^2 - x - (1-x)^2 = 0 \quad M1 \quad y = 1-x$$

$$3x^2 - x - (1 - 2x + x^2) = 0$$

$$3x^2 - x - 1 + 2x - x^2 = 0$$

$$2x^2 + x - 1 = 0 \quad A1$$

$$(2x-1)(x+1) = 0$$

$$x = \frac{1}{2} \quad x = -1 \quad A1$$

$$y = 1 - \frac{1}{2} \quad y = 1 - (-1)$$

$$x = \frac{1}{2}, y = \frac{1}{2} \quad A1 \quad x = -1, y = 2 \quad A1$$

II

B5 Inequalities

$$1. \quad 3(1-2t) \leq t-4$$

$$3 - 6t \leq t - 4$$


$$7 \leq 7t \quad M1$$

$$t \geq 1 \quad A1$$

$$2. \quad 2x^2 - 9x + 4 \leq 0$$

$$(2x-1)(x-4) \leq 0 \quad M1$$

$$\text{CVs } x = \frac{1}{2}, x = 4 \quad A1$$



$$\frac{1}{2} \leq x \leq 4 \quad A1$$

$$3. \quad 2y + 3 < 3y(y-2)$$


$$2y + 3 < 3y^2 - 6y$$

$$0 < 3y^2 - 8y - 3 \quad B1$$

$$3y^2 - 8y - 3 > 0$$


$$(3y+1)(y-3) > 0 \quad M1$$

$$\text{CVs } y = -\frac{1}{3}, y = 3 \quad A1$$



$$y < -\frac{1}{3} \quad \text{or} \quad y > 3 \quad A1$$

E1 Triangle Geometry




$$c^2 = a^2 + b^2 - 2ab \cos C$$

$$c^2 = 17^2 + 23^2 - 2(17)(23) \cos 72^\circ$$

$$c^2 = 576.35 \quad \text{M1}$$


$$AB = 24.0 \text{ cm} \quad \text{A1}$$



$$\frac{\sin \theta}{6.2} = \frac{\sin 53}{5.7} \quad \text{M1}$$

$$\theta = \sin^{-1} \left(\frac{6.2 \sin 53}{5.7} \right)$$

$$\theta = 60.3^\circ \quad \text{A1}$$



$$\underline{AB}$$

$$c^2 = 5.8^2 + 11^2 - 2(5.8)(11) \cos 31^\circ$$

$$c^2 = 45.27 \quad \text{M1}$$

$$AB = 6.7 \text{ m} \quad \text{A1}$$


$$\underline{\theta}$$

$$\cos \theta = \frac{5.8^2 + 6.7^2 - 11^2}{2(5.8)(6.7)} \quad \text{M1}$$

$$\theta = \cos^{-1}(-0.546) \quad \text{A1}$$

$$\theta = 123^\circ$$

4.



$$\frac{\sin B}{10.7} = \frac{\sin 72^\circ}{12.1}$$

M1

$$B = \sin^{-1} \left(\frac{10.7 \sin 72^\circ}{12.1} \right)$$

$$\theta = 57^\circ \text{ A1}$$

$$A = \frac{1}{2} ab \sin C$$

M1

$$= \frac{1}{2} (10.7)(12.1) \sin 51^\circ$$

$$= 50.3 \text{ cm}^2 \text{ A1}$$

12

Year 12 Initial Test for Mathematics

*Write out the solutions to each of the following questions. Show full working, **without** the use of a calculator.*

Practice 2 (No Calculator)

B1 Indices

1.	Evaluate $\left(3\frac{3}{8}\right)^{-1/3}$	2.	Express in the form x^k $\frac{\sqrt{x} \times \sqrt[5]{x}}{x^2}$	3.	Solve $3^{3x-2} = \sqrt[3]{9}$	4.	Solve $\left(\frac{1}{2}\right)^{1-x} = \left(\frac{1}{8}\right)^{2x}$
----	--	----	--	----	-----------------------------------	----	---

B2 Surds

1.	Simplify $\sqrt{80}$	2.	Expand and simplify $(7 - 3\sqrt{5})(3\sqrt{5} - 2)$	3.	Rationalise the denominator $\frac{7}{5\sqrt{3}}$	4.	Rationalise the denominator $\frac{3 + 5\sqrt{11}}{7 - \sqrt{11}}$
----	----------------------	----	---	----	--	----	---

B3 Quadratics


1. Solve the following quadratic equations by factorising and use your solutions to sketch the related quadratic graph, labelling all intersections with the coordinate axis.

(a) (i) $x^2 - 13x + 40 = 0$	(b) (i) $x^2 + 5x = 0$	(c) (i) $6x^2 + 5x - 4 = 0$
(a) (ii) Sketch $y = x^2 - 13x + 40$	(b) (ii) Sketch $y = x^2 + 5x$	(c) (ii) Sketch $y = 6x^2 + 5x - 4$


2. Solve the following quadratic equations by completing the square and use your solutions to sketch the related quadratic graph, labelling all intersections with the coordinate axis and turning point.

(a) (i) $x^2 + 2x - 20 = 0$	(b) (i) $-11 + 8x - x^2 = 0$	(c) (i) $3x^2 - 18x + 2 = 0$
(ii) Write $y = x^2 + 2x - 20$ in the form $y = a(x + b)^2 + c$	(ii) Write $y = -11 + 8x - x^2$ in the form $y = a(x + b)^2 + c$	(ii) Write $y = 3x^2 - 18x + 2$ in the form $y = a(x + b)^2 + c$
(iii) Sketch $y = x^2 + 2x - 20$	(iii) Sketch $y = -11 + 8x - x^2$	(iii) Sketch $y = 3x^2 - 18x + 2$


3. Evaluate the equation of the following quadratics, giving your answer in the form $y = ax^2 + bx + c$



(a)



(b)



(c)

B4 Simultaneous Equations

1. Solve

$$\begin{aligned} 3x - 4y &= 16 \\ 2x + 12y &= 7 \end{aligned}$$

2. Solve

$$\begin{aligned} 3y &= 2x - 8 \\ 4x + y &= -5 \end{aligned}$$

3. Solve

$$\begin{aligned} 3x^2 - xy + y^2 &= 36 \\ x - 2y &= 10 \end{aligned}$$

B5 Inequalities

Find the set of values for which...


1. $4(5 - 2y) \geq 3(7 - 2y)$

2. $2x^2 - 5x - 3 > 0$


3. $x(2x + 1) \leq x^2 + 6$

E1 Triangle Geometry (Calculator)


1. Calculate the length AB




2. Calculate the angle ϑ



3. Calculate the length AB and the obtuse angle ϑ



4. Calculate the area of the triangle ABC



Practice Test 2

B1 Indices

$$1. \left(3\frac{2}{9}\right)^{-\frac{1}{3}} = \left(\frac{27}{8}\right)^{-\frac{1}{3}} \quad \text{M1}$$

$$= \left(\frac{8}{27}\right)^{\frac{1}{3}}$$

$$= \frac{2}{3} \quad \text{A1}$$

$$2. \frac{\sqrt{x} \times \sqrt[3]{x}}{x^2}$$

$$= \frac{x^{\frac{1}{2}} \times x^{\frac{1}{3}}}{x^2} \quad \text{M1}$$

$$= \frac{x^{\frac{7}{10}}}{x^2} \quad \text{A1} = x^{-\frac{13}{10}} \quad \text{A1}$$

$$3. \quad 3^{3x-2} = \sqrt[3]{9}$$

$$3^{3x-2} = (3^2)^{\frac{1}{3}} \quad \text{M1}$$

$$3^{3x-2} = 3^{\frac{2}{3}}$$

$$3x-2 = \frac{2}{3} \quad \text{M1}$$

$$3x = \frac{8}{3} \Rightarrow x = \frac{8}{9} \quad \text{A1}$$

$$4. \quad \left(\frac{1}{2}\right)^{1+2x} = \left(\frac{1}{8}\right)^{2x}$$

$$(2^{-1})^{1+2x} = (2^{-3})^{2x} \quad \text{M1}$$

$$2^{-1+2x} = 2^{-6x}$$

$$-1+2x = -6x \quad \text{M1}$$

$$7x = 1$$

$$x = \frac{1}{7} \quad \text{A1}$$

10

B2 Surds

$$1. \quad \sqrt{80}$$

$$= \sqrt{16 \times 5}$$

$$= 4\sqrt{5} \quad \text{A1}$$

$$2. \quad (7 - 3\sqrt{5})(3\sqrt{5} - 2)$$

$$= 21\sqrt{5} - 14 - 45 + 6\sqrt{5} \quad \text{M1 A1}$$

$$= 27\sqrt{5} - 59 \quad \text{A1}$$

$$3. \quad \frac{7}{5\sqrt{3}} \times \frac{\sqrt{3}}{\sqrt{3}} \quad \text{M1}$$

$$= \frac{7\sqrt{3}}{15} \quad \text{A1}$$

$$4. \quad \frac{3+5\sqrt{11}}{7-\sqrt{11}} \quad \frac{(7+\sqrt{11})}{(7-\sqrt{11})} \quad \text{M1}$$

$$= \frac{21 + 35\sqrt{11} + 35\sqrt{11} + 55}{49 - 11} \quad \text{A1}$$

$$= \frac{76 + 70\sqrt{11}}{38}$$

$$= 2 + \sqrt{11} \quad \text{A1}$$


10

B3 Quadratics

1. (a) (i) $x^2 - 13x + 40 = 0$ (ii) $y = x^2 - 13x + 40$

$$(x-8)(x-5) = 0 \quad M1$$


$$x = 8 \quad x = 5 \quad A1$$



(b) (i) $x^2 + 5x = 0$ (ii) $y = x^2 + 5x$


$$x(x+5) = 0 \quad M1$$

$$x = 0 \quad x = -5 \quad A1$$



(c) (i) $6x^2 + 5x - 4 = 0$ (ii) $y =$
 $(3x+4)(2x-1) = 0 \quad M1$

$$x = -\frac{4}{3} \quad x = \frac{1}{2} \quad A1$$



15

B1 shape, location related to axes

A1 intersections x-axis

A1 intersections y-axis

$$2. (a) (i) x^2 + 2x - 20 = 0$$

$$(x+1)^2 - 1 - 20 = 0 \quad M1$$

$$(x+1)^2 = 21$$

$$x+1 = \pm\sqrt{21}$$

$$x = -1 \pm \sqrt{21} \quad A1$$

Graphs

B1 Shape


A1 Vertex

A1 Intersections x-axis

A1 Intersections y-axis

$$(ii) y = x^2 + 2x - 20$$

$$y = (x+1)^2 - 21 \quad B1$$



$$(b) (i) -11 + 8x - x^2 = 0$$

$$-(x^2 - 8x + 11) = 0 \quad M1$$

$$-[(x-4)^2 - 16 + 11] = 0 \quad M1$$

$$5 - (x-4)^2 = 0$$


$$(x-4)^2 = 5$$

$$x-4 = \pm\sqrt{5}$$

$$x = 4 \pm \sqrt{5} \quad A1$$

$$(ii) y = -11 + 8x - x^2$$

$$y = 5 - (x-4)^2 \quad B1$$



$$(c) (i) 3x^2 - 18x + 2 = 0$$

$$3[x^2 - 6x + \frac{2}{3}] = 0 \quad M1$$

$$3[(x-3)^2 - 9 + \frac{2}{3}] = 0 \quad M1$$

$$3[(x-3)^2 - \frac{25}{3}] = 0$$

$$3(x-3)^2 - 25 = 0$$


$$3(x-3)^2 = 25$$

$$x-3 = \pm\frac{5}{\sqrt{3}}$$

$$x = \frac{9 \pm 5\sqrt{3}}{3} \quad A1$$


$$(ii) y = 3x^2 - 18x + 2$$

$$y = 3(x-3)^2 - 25 \quad B1$$



23

3. (a)



$$y = k(x+7)(x-2)$$

M1

$$-14 = k(7)(-2)$$

$$k = 1$$


A1

$$y = (x+7)(x-2)$$

$$y = x^2 + 5x - 14$$

A1

(b)



$$y = k(x+1)(x-6)$$

M1

$$21 = k(-1)(-6)$$

$$\Rightarrow k = \frac{21}{6} = \frac{7}{2}$$

A1


$$y = \frac{7}{2}(x+1)(x-6)$$

$$y = \frac{7}{2}(x^2 - 7x + 6)$$

$$y = \frac{7x^2 - 49x + 42}{2}$$

A1

(c)



$$y = k(x-3)^2 - 20$$

M1

$$-2 = k(-3)^2 - 20$$

$$18 = k(9)$$

$$k = 2$$

A1

$$y = 2(x-3)^2 - 20$$

$$y = 2(x^2 - 6x + 9) - 20$$

$$y = 2x^2 - 12x - 2$$

A1

9

B4. Simultaneous equations

$$\begin{array}{l} 1. \quad 3x - 4y = 16 \\ \quad 2x + 12y = 7 \end{array}$$

$$9x - 12y = 48$$

$$\underline{2x + 12y = 7}$$

$$11x = 55$$

$$x = 5 \quad \text{AI}$$

M1

$$\begin{aligned} 3x - 4y &= 16 \\ 15 - 4y &= 16 \\ -1 &= 4y \\ y &= -1/4 \end{aligned}$$

$$x = 5, y = -1/4 \quad \text{AI}$$

$$\begin{array}{l} 2. \quad 3y = 2x - 8 \Rightarrow 2x = 3y + 8 \\ \quad 4x + y = -5 \end{array}$$

$$4x = 6y + 16$$

M1

$$6y + 16 + y = -5$$

$$7y = -21$$

$$y = -3$$

$$2x = 3y + 8$$

$$2x = 3(-3) + 8$$

$$x = -1/2 \quad \text{AI} \quad x = -1/2 \quad y = -3 \quad \text{AI}$$

$$3. \quad 3x^2 - xy + y^2 = 36$$

$$x - 2y = 10 \Rightarrow x = 2y + 10$$

$$3(2y + 10)^2 - (2y + 10)y + y^2 = 36 \quad \text{M1}$$

$$3(4y^2 + 40y + 100) - y(2y + 10) + y^2 = 36$$

$$12y^2 + 120y + 300 - 2y^2 - 10y + y^2 = 36$$

$$11y^2 + 110y + 264 = 0$$

$$y^2 + 10y + 24 = 0 \quad \text{AI}$$

$$(y + 6)(y + 4) = 0$$

M1

$$y = -6 \quad y = -4$$

$$x = 2(-6) + 10 \quad x = 2(-4) + 10$$

$$x = -2 \quad x = 2$$

W

$$x = -2, y = -6 \quad \text{AI} \quad x = 2, y = -4 \quad \text{AI}$$

BS Inequalities

$$1. \quad 4(5 - 2y) > 3(7 - 2y)$$

$$20 - 8y > 21 - 6y \quad \text{M1}$$

$$-1 > 2y$$


$$-\frac{1}{2} > y$$

$$y < -\frac{1}{2} \quad \text{A1}$$

$$2. \quad 2x^2 - 5x - 3 > 0$$

$$(2x+1)(x-3) > 0 \quad \text{M1}$$

$$\text{CVs } x = -\frac{1}{2}, \quad x = 3 \quad \text{A1}$$



$$x < -\frac{1}{2} \text{ or } x > 3 \quad \text{A1}$$


$$3. \quad x(2x+1) \leq x^2 + 6$$

$$2x^2 + x \leq x^2 + 6 \quad \text{M1}$$

$$x^2 + x - 6 \leq 0$$

$$(x+3)(x-2) \leq 0 \quad \text{M1}$$


$$\text{CVs } x = -3, \quad x = 2 \quad \text{A1}$$



$$-3 \leq x \leq 2 \quad \text{A1}$$

III


E1 Triangle Geometry



$$\frac{c}{\sin 74^\circ} = \frac{11.6}{\sin 37^\circ}$$

$$c = \frac{11.6 \sin 74^\circ}{\sin 37^\circ} \quad M1$$

$$c = 18.5 \text{ cm} \quad A1$$




$$\cos A = \frac{b^2 + c^2 - a^2}{2bc}$$

$$\cos \theta = \frac{5.9^2 + 5.3^2 - 5.9^2}{2(5.9)(5.3)} \quad M1$$

$$\cos \theta = 0.53148$$

$$\theta = 57.9^\circ \quad A1$$



θ

$$\frac{\sin \theta}{13.2} = \frac{\sin 28^\circ}{7.6}$$

$$\sin \theta = \frac{13.2 \sin 28^\circ}{7.6} \quad M1$$

$$\sin \theta = 0.8420$$

$$\theta = 57.4^\circ$$


obtuse $\Rightarrow \theta = 123^\circ \quad A1$

AB $c^2 = a^2 + b^2 - 2ab \cos C$

$$c^2 = 13.2^2 + 7.6^2 - 2(13.2)(7.6) \cos 28^\circ \quad M1$$

$$c^2 = 54.8 \Rightarrow c = 7.4 \text{ cm} \quad A1$$

4.



$$\frac{\sin C}{12.5} = \frac{\sin 49^\circ}{10.6}$$

$$\sin C = \frac{12.5 \sin 49^\circ}{10.6} \quad M1$$

$$C = 63^\circ \quad A1$$

$$\text{Area} = \frac{1}{2} ab \sin C$$

$$\text{Area} = \frac{1}{2} (12.5)(10.6) \sin 68^\circ \quad M1$$

$$\text{Area} = 61.5 \text{ m}^2 \quad A1$$

12

